



**Which
Home Would
You Rather
Live In?**

LEVELS OF DESIGNATION

*These items go beyond TDI/IRC requirements

**These items go beyond TDI/IRC requirements in Inland II only

Component/System	BRONZE	SILVER	GOLD
			
ROOF <ul style="list-style-type: none"> • Roof deck is sealed with any of our options* • Roof deck attachment meets program standards • Roof covering condition meets standards 	✓	✓	✓
ATTIC VENTILATION <ul style="list-style-type: none"> • Roof-mounted vents are TAS 100(A) approved* • Soffit covers resist wall design wind pressures* • Gable overhangs properly constructed and unvented* • Any gable end wall vents are TAS-100(A) approved or are provided with solid flat shutters to keep water out* 	✓	✓	✓
GABLES OVER 4' TALL - EXTERIOR (IF APPLICABLE) <ul style="list-style-type: none"> • Must have structural sheathing or equivalent 	✓	✓	✓
OPENINGS <ul style="list-style-type: none"> • Impact-protected with an approved system** 		✓	✓
ATTACHED STRUCTURES - PORCHES/CARPORTS <ul style="list-style-type: none"> • Roof connected to beam to resist uplift • Beam connected to column to resist uplift • Column anchored to structure to resist uplift 		✓	✓
GABLES OVER 4' TALL- BRACING (IF APPLICABLE) <ul style="list-style-type: none"> • Braced to withstand high wind pressures 		✓	✓
CHIMNEYS (IF APPLICABLE) <ul style="list-style-type: none"> • Properly attached to structure 			✓
OPENINGS <ul style="list-style-type: none"> • Have adequate design pressure ratings 			✓
CONTINUOUS LOAD PATH <ul style="list-style-type: none"> • Roof-to-wall connection • Wall-to-floor connection • Floor-to-foundation connection 			✓